

**RIDERSERIES
SRC-I CLIP LP**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Plastic retaining clip for RIDERSERIES RCI relays

General ordering data

Order No.	8869520000
Type	SRC-I CLIP LP
Version	RIDERSERIES, Retaining clip
GTIN (EAN)	4032248745135
Qty.	10 pc(s).

**RIDERSERIES
SRC-I CLIP LP**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Ratings

Humidity 40 °C / 93 % rel. humidity,
no condensation

Dimensions and weights

Net weight 2 g

Temperatures

Operating temperature -40 °C...+70 °C Storage temperature -40 °C...+85 °C

Insulation coordination

Protection degree IP 20

Classifications

UNSPSC	30-21-19-17	eClass 5.1	27-37-16-03
eClass 6.0	27-37-16-03	eClass 7.0	27-37-16-03

Approvals

Approvals



**RIDERSERIES
SRC-I CLIP LP**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Mating connector (fully pluggable)
Base


Relay base for the RIDERSERIES RCI relays

- 1 and 2 CO contacts
- Screw and PUSH IN connection
- Standard and low heights

General ordering data

Order No.	Type	Version	GTIN (EAN)	Qty.
8869480000	SRC-I 2CO N	RIDERSERIES, Relay base, Continuous current: 16 A ⁽¹⁾ , 8 A, Screw connection	4032248614431	10 pc(s).
8869500000	SRC-I 2CO P	RIDERSERIES, Relay base, Continuous current: 16 A ⁽¹⁾ , 8 A, PUSH IN spring connection	4032248614455	10 pc(s).
8869490000	SRC-I 2CO	RIDERSERIES, Relay base, Continuous current: 16 A ⁽¹⁾ , 8 A, Screw connection	4032248614448	10 pc(s).